

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBMWF)]

Sl No	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorised person (occupier or operator of facility)		DR. S ARAVIND CHIEF MEDICAL OFFICER
	(ii) Name of HCF or CBMWF		Tamilnadu waste management Limited
	(iii) Address for Correspondence	:	Aravind Eye Hospital Poonamallee High Rd, Noombal, Poonamallee Tk Pin - 600077
	(iv) Address of Facility		Aravind Eye Hospital Poonamallee High Rd, Noombal, Poonamallee Tk Pin - 600077
	(v) Tel No, Fax. No	:	044 4095 6100
	(vi) E-mail ID		revathy.kannadhasan@aravind.org
	(vii) URL of Website		www.aravind.org
	(viii) GPS coordinates of HCF or CBMWF		-
	(ix) Ownership of HCF or CBMWF		-
	(x) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules		Authorization No.. 21BAC32088900 valid up to 31.03.2021
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 31.03.2021 (Applied for renewal)
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:750. Currently 150 beds in use.
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		-
	(iii) License number and its date of expiry		-
3	Details of CBMWF	:	NA
	(i) Number healthcare facilities covered by CBMWF	:	NA
	(ii) No of beds covered by CBMWF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWF:	:	NA

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 3,094 Kg Red Category : 2,392 Kg White : NIL Blue Category : 1,840 Kg General Solid waste: NIL.			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size : 8ft X 6 ft			
			Capacity :			
			Provision of on-site storage :			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
			Incinerators		NA	
			Plasma Pyrolysis		NA	
			Autoclaves	3		
			Microwave	1		
			Hydroclave		NA	
			Shredder		NA	
			Needle tip cutter or destroyer		NA	
			Sharps encapsulation or concrete pit		NA	
			Deep burial pits:		NA	
			Chemical disinfection:		NA	
			Any other treatment equipment:		NA	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Outsourced			
	(v) Details of incineration ash and ETP sludge generated and disposed	:	Quantity generated	Where disposed		

	during the treatment of wastes in Kg per annum		Incineration -NA Ash -NA ETP Sludge - NA
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Tamilnadu Waste Management Limited
	(vii) List of member HCF not handed over bio-medical waste.		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		YES(minutes attached)
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		4
	(ii) number of personnel trained		21
	(iii) number of personnel trained at the time of induction		All staffs
	(iv) number of personnel not undergone any training so far		NIL
	(v) whether standard manual for training is available?		YES
	(vi) any other information)		NIL
8	Details of the accident occurred during the year		NIL
	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any)		NIL
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NIL
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4		The disinfection method meets the prescribed standards.

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	-

Certified that the above report is for the period from January 2020 to December 2020



Aravind Eye Hospital,
Noombal, Poonamallee Tk

Date: 8.5.2021
Place CHENNAI.